Receiving Report

Dar	te: $11/11/30$ pplier: $11/256$	Twh	Batch Dart F		5519	i-
Packing Slip: Invoice: Receipt:	Yes No Yes No Cash Cr	Re W St	elease Note A aybill Attache nipment Comp C6 Inspection ork Order	d: Ye olete: Ye	s No	
Discrepancies	1,	Quantity	Quantity	Quantity	Quantity	Comments
Part Number	Description	Ordered	Received	Returned	Short	Comments
			<u> </u>			
* 					<u> </u>	
		Initial	s of receiver	(if shipment	OK) Level	12
Production/Ad Date Received/Cos Initial	11111	· .			Locat	tion
	_		1 2 4 4			

H:\FORMS\Purchasing\approved purch\RECTEPORT Rev D

Purchase Order Receipt Listing

Wednesday, November 30, 2011 11:01:55 AM

All amounts are calculated in domestic currency.

Page I of 1

All Vendors PO ID PO15519 Receipt Dates from 11/30/2011 to 11/30/2011 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Quantity: O U/M): Quantity:	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value:	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value:				119805		
	0.0000	\$1,064.54		24.0000 DESJ02	AR 2.00' f	000 6061-T6 BAR 2.00' X 8.00"	No	CAD
	0.0000	\$44.36	24.0000	11/29/2011 11/30/2011	OP001 Thyssenkrupp Materials CA Ltd M6061T6B2.000X08. f	VC-C	ıdor Name I	VendorID\Vendor Name PO15519 1
MRB Qt MRB Rejec Q	Inspected Qty/ MRB Qty/ Rejected Qty MRB Reject (PO U/M) Qty	Cost Per Unit/ Recv Value	Recv Qty (PO U/M)	Required Date Recv Required Qty Date/ Recv Emp	PO U/M / Stock U/M	Project ID Reference/ Description/ Cert Std	Line Nbr/ Insp Req	Purchase Order ID/ Curr Type

```
Tel: 613-632-9577 Fax: 613-632-1053 HAWKESBURY, ON K6A 1K7
                      HAWKESBURY, ON
             Key JK7
                                                                ISAO ABERDEEN ST
                     1270 ABERDEEN ST
                                                                  DART AEROSPACE
                       DART AEROSPACE
                                                                         :OT qid2
                                                              (T
                  (SOTTR)
                            : OT
                                 pros
                                   dts
    LKINY AINCE (602-235-1362)
                                 лусте
          Trailer
                                 Route
               0 Manifest
                           -0
                                              Tel: 905 669 9444 Fax: 9057389033
                                   JIH
                        PREPAID
                                                                CONCORD, ONTARIO
                                                       ₽¥K 2Ce
                        CONCORD
                                   LOB
                                                             2821 LANGSTAFF ROAD
                                   Νiα
                  APEXMOTOR-PEC
                                                       THYSSENKRUPP MATERIALS NA
                      Probill T155555
                                                                       Sprb Erom:
                             Ship Date
SONOATT SE IS:44 ELOW PFW
                                 OETPDING
               : ON
 BEC MITTEO
```

I G A L

7

DCS

T23

PBS

£23

MF PBR

74 EL 7 YataneuQ **BCS**

I

Tags

Rel # CHANTAL

N. G

: LATOT

*** Chemical Analysis ***

13795

OE

Tag No

T KONK BO # 12216

80796408 Heat Number

Part #

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER ATTN: CHANTAL/LINDA TO SHIBBING. WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR MILL TEST REPORTS, PACKING SLIPS ARE TO SENT

80796702

2.00" X 144.0000 Z ALUMINUM FLAT BAR 6061-T6511

J) Ont Order PEC-394341-

Heat Number

BILLL

** KELEKENCED ON IL **

TOTAL 1 BDL G.W 470 LBS

******qo nof charge energy surcharge- backorder

**** TIL 800-926-2600 **** CONCORD, ONT.* Mq 00:4 OT MA 00:6 * * * *CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS UA

ME SLOCK SLYINDESS SLEED

ъøde∶ IContinued

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. YJETAIGEMMI GETROGER BE REPORTED IMMEDIATELY THEMETALE IMMEDIATEMENT. TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

d_{TS} LKINY AINCE (602-235-1302) лусте Trailer 0- 0 Manifest Route Tel: 905 669 9444 Fax: 9057389033 Frt PREPAID CONCORD, ONTARIO L4K 5C6 CONCORD LOB 2821 LANGSTAFF ROAD **PPEXMOTOR-PEC** ΝŢЯ THYSSENKRUPP MATERIALS UA Probill Tissess :mora qid2 гртр расе 29Novll at 13:44 From PFW BIPP OFTADING DEC 141420 :OM

DART AEROSPACE

sold To:

(STTOZ)

(T

ADDED TO EVERY ORDER.***

DART AEROSPACE

:ol did2

Jasi S :9psq

TOUTES ERREURS ET/OU MARCHANDISES MANGUNAUTES DOIVENT ÉTRE

RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR RPPROVAL NUMBER.

PURCHASE ORDER

Purchase Order ID PO15519

PO Print Date 11/24/11 Purchase Order Date 11/23/11

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



Page Number 1 of 1

VC-COP001

THYSSENKRUPP MATERIALS CA LTD Order From:

TORONTO, ON M5W 5V8 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"

EE06 8ET 209

1176 699 506

VO

Vendor Phone Contact Name

Vendor Fax

Vendor Account Nbr

: oT qid2

1570 ABERDEEN DART AEROSPACE LTD

"00.8

OI giM

Description/

6061-T6 BAR 2.00' X

HYMKESBURY, ON K6A 1K7

CANADA

Revision ID Line Nbr Reference

Vendor Part Number

M6061T6B2.000X08.000

οM

Taxable Unit of Measure

11/67/11

Red Date/

EOB

Terms

Buyer

Currency

Tax Resale Nbr

Requisition Nbr

MATERIAL: 6061-T6-

OR ASTM B211 OR ASTM B221 200/8 OR AMS-QQ-A-200/8 OR AMS 4161 OR AMS4117/4128/4115/4116 OR QQ-A-SBEC: 66-6-552/8 OK YWZ-66-Y-552/8

BEGID RISON DEFINEBLY MOLTERIAL CERTIFICATION

T651/T6510/T6511/T62 ALUMINUM BAR Special Inst:

0988.44\$

Unit Price

Yours ppd

Ship Method

Destination-Collect

CVD

Net 30

10177-2607

Chantal Lavoie

24.00

Red Oty/

:latoT Oq

\$1,064.54

ts t90°1\$

Price

Extended

Certificate of Conformity or Material consent. No substitution or deviation without

Certification required when applicable

Change Date: 11/54/11

Change Nbr:

7

Certificate of Mill Test Results BL PEC 741450-001

PO/Rel 15519 THE VSSENKEUPP MATERIALS NA

We centry that this is a true copy of the report functioned by the produces of the metal, or data resulting from tests made in approved labs.

ALUMINUM FLAT BAR 6061-T6511 2:00" X 8:06" X 144:0000 FART NO.

DART AEROSPACE

1 of 2 Cert Print Date 18-NOV-11 788 Page Cert Crewitive Date SAPA480820 Cert Number 18-NOV-11 VIM-612297-003 Customer P/O Certified Inspection Report Sales Order Number 1100395911

Sapa Industrial Extrusions
Sapa POPTSVILLE STREET

CRESSONA, PA

17929-0187

Supa Extrusions Inc., a Subsidiary of Sapa AB

THYSNENKRUPP MATERIALS NA INC

Jayoice To Customes

4700 DOTS FRANC

Quantity Shipped		Date Shipped	Item Description Farmded ECON-O-	Specification ASTMB221 REV 08
1812	1.18	18-NOV-11	PLATE 2.000 TK x 8.000 W	AMS-QQ-A-200/8 REV ASMESB221 REV 09
BAL		Item No.	SECT 505079 144,000 IN I.N	UNS#A96061 REV
278563	, !	G03360848	FIN M-MILL W/F 18.816 F 01 CS 8.2	
Defivery Rd		Item No. Rev	6061/T6511 Marking CONTINUOUS;	
4264626				
CestomerPart No.				
2X8EP				
Applicable Specifications, Revisions and Exceptions	MIN, Revisions	and Exceptions		
COMPOSITION NO	ITE: The valu	COMPOSITION NOTE: The values for Others Each' and Others Total' have met the limits as shown on	Total have met the limits a	s shown on
this certified inspecti	on report. Re	this certified inspection report. Remainder is Aluminum.		

THYSSENKRIIPP MATERIALS NA INC

4700 BOIS FRANC

ST LAURENT, - H45 1A7

STLAURENT, QC - H4S 1A7

incebanical properties shown on the face of this certification. Also, note that mercury is not a normal contaminant in almost an alloys and retiter it not any of its compounds are used in the manufacture of our product. This certification is not to be reproduced in partial form without print written approvel of our Quality Assumnce Defit. eclineations forming a part of the description and that samples representative of the material met the composition and had the bereby certify that, unless otherwise indicated, the material covered by this report has been manufactured, inspecied, and

In accordance with, and has been found to m

Tech/Quality Manager William Martin III

18-NOV-81

: ** 욼 Weight 912 Į, Š

> Lot Number 20796408

Package Number

G12-PKG1471413 G12-PKG1471455

Quantities per Lot / Packages



් ඊ

Š Composition Limits 1939

Doc No. 122708 Indexed 24Nov1.1 by syl

ALUMBUM FLAT BAR 6061,T6511 2,00° X,8,00° X,144,0000° PART NO.

PO/Rel 15519

We certify that thus is a true copy of the report. Linnished by the producer of the metal, or data

BL PEC-741450-001

Sapa Industrial Extrusions
Sapa Industrial Extrusions
Sapa POTTSVILLE STREET CRESSONA, PA 17929-0187

	Page 2 of 2	Cert Prist Dute	18-NOV-11	
Cert Number	SAPA480820	Cert Creation Date Cert Prist Date	18-NOV-11	
		Customer PIC	VIM-612297-003	
Donor	Section repor		Line No.	†
T	Certified Inspection report		Spies Order Samous	116083911

What was 100 miles	
0000 NIII	
Others Each	
Mfra Merica	
Mark AM79	
	1
[0	<u> </u> -
3	
	-

	i İ		
T.	78.00		
	Each Others T		
	6 x Others1		
		' \ _ 	
J	0,002	20.02	
12 × 12 × 12 × 12 × 12 × 12 × 12 × 12 ×	0.09	90:0	
200	600	0.07	
W.	0.93	0032	1
	800	 	
10 m	0.33	5 × 5	
	036		3
Composition Remits	4025591-US 0.72 0.36	Heat (Cost of Section 1) 198	97-US 0.74
Comp	40255	Ilent	40255

	\	 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
EL 4D-Long	PCT		TO THE PART OF THE PARTY OF THE		12.7	 	
 - -					48.4		
1.874		ā	i	THE RESERVE OF THE PARTY OF THE	45.4	- - - -	
	 ب	KS/	 		2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	 	
	5		1	THE WASHINGTON	The state of the s		
ENDER .	· · · · · · · · · · · · · · · · · · ·	50	a of the	THE TAX PARTY OF THE PARTY OF T		•	
Mechanical Property - Test Limits	一 一	The second secon			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	511 2079640	
Mechan						1881	

oducis mane factared with a T\$511 temper ako meet T8 temper requirementa. rield strength has been determined by the 0.2 % offset method

All ARcys Produced at Sopa Ladivarial Extrusions comply with O.4% Maximum Lead per RoBS, with the exception of 6262 alloy

accordance with EN 10204 laspertion Certificate Type 3.1

Weised in the LISA or Other Ounliffed Countries us Defined by DPARS 225,572.1 Made in USA